

Claims

There are no current amendments to the claims, this listing of claims is to assist in the reading of the arguments beginning on page 6.

Listing of Claims:

1. (Previously presented) Apparatus for compressing tissue to be scanned for medical imaging, said apparatus comprising:

a tissue compression membrane suited to minimize image distortion; and
a plurality of tensioning apparatuses coupled to said membrane to apply a tensile force to said membrane to place said membrane in a taut condition during an imaging process;
wherein said tensioning apparatuses each comprises an inflatable bladder.

2. (Original) The apparatus of claim 1 further comprising a support frame configured to support at least one end of said compression membrane.

3. (Original) The apparatus of claim 2 wherein said support frame further supports said tensioning apparatus.

4. (Original) The apparatus of claim 2 wherein said tensioning apparatus comprises at least one tensioning device situated on one side of the frame, and configured to apply tensile force along an axis perpendicular to said frame side.

5. (Original) The apparatus of claim 4 wherein said tensioning device comprises a movable tension plate responsive to a mechanical command for applying the tensile force.

6. (Previously presented) The apparatus of claim 4 wherein said inflatable bladder is at least in part responsive to one of the following commands for applying the tensile force: a hydraulic command and a pneumatic command.

7. (Original) The apparatus of claim 1 wherein said compression membrane has a thickness not exceeding 0.5 mm.

8. (Original) The apparatus of claim 1 wherein said compression membrane comprises a polymeric material.

9. (Original) The apparatus of claim 1 wherein said tissue comprises breast tissue and said imaging process is selected from the group consisting of ultrasound and X-ray mammography.

10. (Original) The apparatus of claim 1 wherein said tensioning apparatus comprises means for applying a respective tensile force to said compression membrane along a pair of mutually orthogonal axes that define a plane at least over a portion of said compression membrane.

11. (Original) The apparatus of claim 10 wherein said means for applying the tensile force along said orthogonal axes include means for independently adjusting the magnitude of the tensile force along each of said orthogonal axes, thus allowing to compensate for variation in size and/or shape of the tissue to be compressed.

12. (Previously presented) A method for compressing tissue to be scanned for medical imaging, said method comprising:

- providing a tissue compression membrane suited to minimize image distortion;
- providing a plurality of inflatable bladders; and
- applying a tensile force to said membrane to place said membrane in a taut condition during an imaging process;

wherein said tensile force is applied at least in part by said inflatable bladders, and wherein said inflatable bladders can be individually adjusted to selectively apply differing tensile forces to said compression membrane in two or more directions.

13. (Original) The method of claim 12 wherein said applying of the tensile force to the compression membrane comprises applying a respective tensile force to said compression membrane along a pair of mutually orthogonal axes that define a plane at least over a portion of said compression membrane.

14. (Original) The method of claim 13 wherein the applying of a respective tensile force along said orthogonal axes further comprises independently adjusting the magnitude of the tensile force along each of said orthogonal axes, thus allowing to compensate for variation in size and/or shape of the tissue to be compressed.

15. (Previously presented) Medical imaging equipment comprising:
apparatus for compressing tissue to be scanned during an imaging process, said apparatus comprising:
a tissue compression membrane suited to minimize image distortion; and
a plurality of tensioning apparatuses coupled to said membrane to apply a tensile force to said membrane to place said membrane in a taut condition during an imaging process;
wherein each of said tensioning apparatus comprises an inflatable bladder responsive to one of the following commands for applying the tensile force: a hydraulic command and a pneumatic command.

16. (Original) The medical imaging equipment of claim 15 wherein said tissue comprises breast tissue and said imaging equipment is selected from the group consisting of ultrasound imaging and X-ray mammography.

17. (Original) The medical imaging equipment of claim 15 wherein said tensioning apparatus comprises at least two tensioning devices arranged on a support frame to apply a respective tensile force to said compression membrane along a pair of mutually orthogonal axes.

18. (Original) The medical imaging equipment of claim 17 wherein each of said tensioning devices include a respective tension adjuster for independently adjusting the magnitude of the tensile force along each of said orthogonal axes, thus allowing to compensate for variation in size and/or shape of the tissue to be compressed.

19. (Original) The medical imaging equipment of claim 16 wherein each tensioning device comprises a movable tension plate responsive to a mechanical command for applying the tensile force.

20. (Previously presented) The medical imaging equipment of claim 17 wherein said inflatable bladder is responsive to a hydraulic command for applying the tensile force.

21. (Original) The medical imaging equipment of claim 15 wherein said compression membrane has a thickness not exceeding 0.5 mm.

22. (Original) The medical imaging equipment of claim 15 wherein said compression membrane comprises a polymeric material.